

CERTIFICATE OF CONSTANCY OF PERFORMANCE

0751-CPR.2-003.0-07

In compliance with Regulation (EU) 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

**Factory made mineral wool (MW) products for thermal insulation of building
equipment and industrial installations**
(details cf. annex)

Placed on the market under the name or trade mark of

SAINT-GOBAIN ISOVER G+H AG

Bürgermeister-Grünzweig-Str.1
67059 Ludwigshafen
Germany

and produced in the manufacturing plant

Lübz

Industriestraße 11
19386 Lübz
Germany

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 14303:2009+A1:2013

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

constancy of performance of the construction product.

This certificate was first issued on 06.12.2013 and will remain valid (but no longer than 08.11.2021) as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

Gräfelfing, 07.11.2020



Certification Body

Ralph Alberti

Dipl.-Ing. Ralph Alberti

Factory: Lübz, Industriestraße 11 , 19386 Lübz, Germany

Construction product(s): Factory made mineral wool (MW) products for thermal insulation of building equipment and industrial installations according to EN 14303:2009+A1:2013

Intended use: Thermal insulation products for building equipment and industrial installations
 Level(s) or class(es) reaction to fire: for uses subject to regulations on reaction to fire A1/A2. Products for which a clearly identifiable stage in the production process results in an improvement in the reaction to fire classification by limiting of organic material.

Attestation of conformity system: 1

		Product		Reaction to fire EN 13501-1			
No.	Form	Name	Description	Nominal density	Classification	Fire Group	Classification report
1	Slab	U KPN 15	Slab made of non-combustible mineral wool	15 kg/m ³	A1	18	KB-Hoch-141228
2	Roll	UKFN 16	Roll made of non-combustible mineral wool	16 kg/m ³	A1	18	KB-Hoch-141228
3	Slab	U KPN 16	Slab made of non-combustible mineral wool	16 kg/m ³	A1	18	KB-Hoch-141228
4	Slab	U KPG 2/ Si-frei	Slab made of non-combustible mineral wool with one-sided lamination of glass filament fabric	18 kg/m ³	A1	8	KB-Hoch-121415
5	Slab	U KPN 20	Slab made of non-combustible mineral wool	20 kg/m ³	A1	19	KB-Hoch-151494
6	Slab	U KPV 20	Slab made of non-combustible mineral wool with one-sided lamination of glass fibre fleece	20 kg/m ³	A1	21	KB-Hoch-161256
7	Roll	U TFN 20	Roll made of non-combustible mineral wool	20 kg/m ³	A1	17	3764/0704-1





Product			Reaction to fire EN 13501-1				
No.	Form	Name	Description	Nominal density	Classification	Fire Group	Classification report
8	Slab	U Solar Easyroll 2.0 N	Slab made of non-combustible mineral wool	20 kg/m ³	A1	19	KB-Hoch-151494
9	Slab	U Solar Roll 2.0 N	Slab made of non-combustible mineral wool	20 kg/m ³	A1	19	KB-Hoch-151494
10	Roll	U KfV 21 Rollstripe	Roll made of non-combustible mineral wool with one-sided lamination of glass fibre fleece	21 kg/m ³	A1	21	KB-Hoch-161256
11	Slab	U TECH Slab 2.0 V2	Slab made of non-combustible mineral wool	22 kg/m ³	A1	17	3764/0704-1
12	Slab	Coracoustic-USG	Slab made of non-combustible mineral wool with one-sided lamination of glass filament fabric	22 kg/m ³	A1	17	3764/0704-1
13	Slab	U KPG 22	Slab made of non-combustible mineral wool with one-sided lamination of glass filament fabric	22 kg/m ³	A1	17	3764/0704-1
14	Slab	U TPG 22	Slab made of non-combustible mineral wool with one-sided lamination of glass filament fabric	22 kg/m ³	A1	17	3764/0704-1
15	Slab	U TPV 22	Slab made of non-combustible mineral wool	22 kg/m ³	A1	17	3764/0704-1
16	Roll	U TECH Roll 2.0	Roll made of non-combustible mineral wool Following one-sided laminations are possible: V1: glass fibre fleece	23 kg/m ³	A1	17	3764/0704-1



Product			Reaction to fire EN 13501-1				
No.	Form	Name	Description	Nominal density	Classification	Fire Group	Classification report
17	Roll	U TECH Roll 2.0 Alu1	Roll made of non-combustible mineral wool with one-sided lamination of aluminium foil layer	23 kg/m ³	A1	16	230010120
18	Slab	U TECH Slab 2.0	Slab made of non-combustible mineral wool following one-sided laminations are possible: V1: glass fibre fleece	23 kg/m ³	A1	17	3764/0704-1
19	Slab	U TECH Slab 2.0 Alu1	Slab made of non-combustible mineral wool with one-sided lamination of aluminium foil layer	23 kg/m ³	A1	16	230010120
20	Roll	U TFN 23	Roll made of non-combustible mineral wool	23 kg/m ³	A1	5	KB-Hoch-121166
21	Roll	U TFN 23	Roll made of non-combustible mineral wool	23 kg/m ³	A1	6	KB-Hoch-121169
22	Slab	U TPN 23	Slab made of non-combustible mineral wool	23 kg/m ³	A1	5	KB-Hoch-121166
23	Slab	U TPN 23	Slab made of non-combustible mineral wool	23 kg/m ³	A1	6	KB-Hoch-121169
24	Roll	U TFA 23	Roll made of non-combustible mineral wool with one-sided lamination of aluminium foil layer	23 kg/m ³	A1	5	KB-Hoch-121166
25	Roll	U TFA 23	Roll made of non-combustible mineral wool with one-sided lamination of aluminium foil layer	23 kg/m ³	A1	6	KB-Hoch-121169
26	Slab	U TECH Slab 2.0 G.1	Slab made of non-combustible mineral wool with one-sided lamination of glass filament fabric	23 kg/m ³	A1	17	3764/0704-1



Product							Reaction to fire EN 13501-1		
No.	Form	Name	Description	Nominal density	Classification	Fire Group	Classification report		
27	Roll	U FK/AGF	Roll made of non-combustible mineral wool with one-sided lamination of aluminium foil layer	24kg/m ³	A1	5	KB-Hoch-121166		
28					A1	6	KB-Hoch-121169		
29	Slab	U TPG 24	Slab made of non-combustible mineral wool with one-sided lamination of glass filament fabric	24kg/m ³	A1	17	3764/0704-1		
30	Slab	U TPN 24	Slab made of non-combustible mineral wool	24 kg/m ³	A1	17	3764/0704-1		
31	Slab	U TPT	Slab made of non-combustible mineral wool	24 kg/m ³	A1	17	3764/0704-1		
32	Roll	U KFG 25-120	Roll made of non-combustible mineral wool with one-sided lamination of glass filament fabric	25 kg/m ³	A1	17	3764/0704-1		
33	Slab	U KPN 25	Slab made of non-combustible mineral wool	25 kg/m ³	A1	21	KB-Hoch-161256		
34	Slab	U Solar Easyroll 2.5 N	Slab made of non-combustible mineral wool	25 kg/m ³	A1	21	KB-Hoch-161256		
35	Slab	U Solar Easyroll 2.5 V2	Slab made of non-combustible mineral wool	25 kg/m ³	A1	21	KB-Hoch-161256		
36	Slab	U Solar Roll 2.5 N	Slab made of non-combustible mineral wool	25 kg/m ³	A1	21	KB-Hoch-161256		
37	Slab	U Solar Roll 2.5 V2	Slab made of non-combustible mineral wool	25 kg/m ³	A1	21	KB-Hoch-161256		



Product				Reaction to fire EN 13501-1			
No.	Form	Name	Description	Nominal density	Classification	Fire Group	Classification report
38	Slab	U Solar Slab 2.5 N	Slab made of non-combustible mineral wool	25 kg/m ³	A1	21	KB-Hoch-161256
39	Roll	U TFV 25	Roll made of non-combustible mineral wool with one-sided lamination of glass fibre fleece	25 kg/m ³	A1	17	3764/0704-1
40	Slab	U TPV 25	Slab made of non-combustible mineral wool with one-sided lamination of glass fibre fleece	25 kg/m ³	A1	17	3764/0704-1
41	Slab	U KPN 30	Slab made of non-combustible mineral wool	30 kg/m ³	A1	5	KB-Hoch-121166
42	Slab	U KPN 30	Slab made of non-combustible mineral wool	30 kg/m ³	A1	6	KB-Hoch-121169
43	Slab	U TPV 30	Slab made of non-combustible mineral wool with one-sided lamination of glass fibre fleece	30 kg/m ³	A1	17	3764/0704-1
44	Slab	U TPVV 30	Slab made of non-combustible mineral wool with both sided lamination of glass fibre fleece	30 kg/m ³	A1	17	3764/0704-1
45	Slab	U KPA 32	Slab made of non-combustible mineral wool with one-sided lamination of aluminium foil layer	32 kg/m ³	A1	13	K-3327/559/14-MPA BS
46	Roll	U KFA 33	Roll made of non-combustible mineral wool with one-sided lamination of aluminium foil layer	33 kg/m ³	A1	13	K-3327/559/14-MPA BS



		Product		Reaction to fire EN 13501-1			
No.	Form	Name	Description	Nominal density	Classification	Fire Group	Classification report
47	Slab	U KPN 34	Slab made of non-combustible mineral wool	34kg/m ³	A1	5	KB-Hoch-121166
48					A1	6	KB-Hoch-121169
49	Slab	U KPV 34	Slab made of non-combustible mineral wool with one-sided lamination of glass fibre fleece	34kg/m ³	A1	21	KB-Hoch-161256
50	Roll	U Protect Roll 3.1 Alu1	Roll made of non-combustible mineral wool with one-sided lamination of aluminium foil layer	34kg/m ³	A1	13	K-3327/559/14-MPA BS
51	Slab	U Solar Slab 3.5 V1	Slab made of non-combustible mineral wool with one-sided lamination of glass fibre fleece	34kg/m ³	A1	21	KB-Hoch-161256
52	Slab	U Solar Slab 3.5 V2	Slab made of non-combustible mineral wool with one-sided lamination of glass fibre fleece	34kg/m ³	A1	21	KB-Hoch-161256
53	Slab	U Solar Slab 3.5 VV1	Slab made of non-combustible mineral wool with both-sided laminations of glass fibre fleece	34kg/m ³	A1	21	KB-Hoch-161256
54					A1	5	KB-Hoch-121166
55	Slab	U TECH Slab MT 3.0	Slab made of non-combustible mineral wool	34kg/m ³	A1	6	KB-Hoch-121169



Product				Reaction to fire EN 13501-1			
No.	Form	Name	Description	Nominal density	Classification	Fire Group	Classification report
56	Slab	U TECH Slab MT 3.0 Alu1	Slab made of non-combustible mineral wool with one-sided lamination of aluminium foil layer	34kg/m ³	A1	13	K-3327/559/14-MPA BS
57	Slab	U TECH Slab MT 3.0 V1	Slab made of non-combustible mineral wool with one-sided lamination of glass fibre fleece	34kg/m ³	A1	17	3764/0704-1
58	Slab	U TECH Slab MT 3.1	Slab made of non-combustible mineral wool	34kg/m ³	A1	5	KB-Hoch-121166
59	Slab	U TECH Slab MT 3.1	Slab made of non-combustible mineral wool	34kg/m ³	A1	6	KB-Hoch-121169
60	Slab	U TECH Slab MT 3.1 Alu1	Slab made of non-combustible mineral wool with one-sided lamination of aluminium foil layer	34kg/m ³	A1	13	K-3327/559/14-MPA BS
61	Slab	U TECH Slab MT 3.1 V2	Slab made of non-combustible mineral wool	34kg/m ³	A1	5	KB-Hoch-121166
62	Slab	U TECH Slab MT 3.1 V2	Slab made of non-combustible mineral wool	34kg/m ³	A1	6	KB-Hoch-121169
63	Roll	U TFA 34	Roll made of non-combustible mineral wool with one-sided lamination of aluminium foil layer	34kg/m ³	A1	13	K-3327/559/14-MPA BS
64	Slab	U TPA 34	Slab made of non-combustible mineral wool with one-sided lamination of aluminium foil layer	34kg/m ³	A1	13	K-3327/559/14-MPA BS





Product			Reaction to fire EN 13501-1				
No.	Form	Name	Description	Nominal density	Classification	Fire Group	Classification report
65	Slab	U TPAG 34	Slab made of non-combustible mineral wool with one-sided lamination of glass filament fabric	34kg/m ³	A2-s1,d0	7	3764/0704-1
66	Slab	U TPG 34	Slab made of non-combustible mineral wool with one-sided lamination of glass filament fabric	34kg/m ³	A2-s1,d0	7	3764/0704-1
67	Slab	U TPN 34	Slab made of non-combustible mineral wool	34 kg/m ³	A1	5	KB-Hoch-121166
68	Slab	U TPV 34	Slab made of non-combustible mineral wool with one-sided lamination of glass fibre fleece	34 kg/m ³	A1	6	KB-Hoch-121169
69	Slab	U Protect Maki 1.0	Roll made of non-combustible mineral wool with one-sided lamination of glass fibre fleece	40 kg/m ³	A1	17	3764/0704-1
70	Roll	U TECH Roll 4.0 Alu1	Roll made of non-combustible mineral wool with one-sided lamination of aluminium foil layer	40 kg/m ³	A1	17	3764/0704-1
71	Roll	U TECH Roll 4.0 Alu1	Roll made of non-combustible mineral wool with one-sided lamination of glass fibre fleece	40 kg/m ³	A1	17	3764/0704-1
72	Roll	U TECH Roll 4.0 Alu1	Roll made of non-combustible mineral wool with one-sided lamination of aluminium foil layer	40 kg/m ³	A1	13	K-3327/559/14-MPA BS
73	Roll	U TECH Roll 4.0 V1	Roll made of non-combustible mineral wool with one-sided lamination of glass fibre fleece	40 kg/m ³	A1	17	3764/0704-1



Product			Reaction to fire EN 13501-1				
No.	Form	Name	Description	Nominal density	Classification	Fire Group	Classification report
74	Wired mat	U TECH Wired Mat MT 4.0	Wired Mat made of non-combustible mineral wool with galvanised wire mesh and stainless netting wire	40 kg/m ³	A1	5	KB-Hoch-121166
75	Slab				A1	6	KB-Hoch-121169
76	Slab	U Thermo Board 3	Slab made of non-combustible mineral wool	40 kg/m ³	A1	5	KB-Hoch-121166
77					A1	6	KB-Hoch-121169
78	Mat	U Thermo Felt 3	Mat made of non-combustible mineral wool	40 kg/m ³	A1	5	KB-Hoch-121166
79					A1	6	KB-Hoch-121169
80	Wired mat	U Thermo Matt 3	Wired Mat made of non-combustible mineral wool with galvanised wire mesh and stainless netting wire	40 kg/m ³	A1	5	KB-Hoch-121166
81					A1	6	KB-Hoch-121169
82	Slab	U TPG 45	Slab made of non-combustible mineral wool with one-sided lamination of glass filament fabric	45 kg/m ³	A2-s1,d0	7	3764/0704-1
83	Roll	U Protect Maki 2.0	Roll made of non-combustible mineral wool with one-sided lamination of glass fibre fleece	48 kg/m ³	A1	11	KB-Hoch-121220
84	Slab	U Thermo Board 4	Slab made of non-combustible mineral wool	48 kg/m ³	A1	5	KB-Hoch-121166
85					A1	6	KB-Hoch-121169



No.	Form	Name	Description	Nominal density	Classification	Reaction to fire EN 13501-1	
						Fire Group	Classification report
86	Mat	U Thermo Matt 4	Mat made of non-combustible mineral wool with galvanised wire mesh and stainless netting wire	48 kg/m ³	A1	5	KB-Hoch-121166
87					A1	6	KB-Hoch-121169
88	Slab	U KPVV 50	Slab made of non-combustible mineral wool with both-sided laminations of glass fibre fleece	50 kg/m ³	A1	17	3764/0704-1
89	Slab	U TPA 50	Slab made of non-combustible mineral wool with one-sided laminations of aluminium foil layer	50 kg/m ³	A1	17	3764/0704-1
90	Slab	U TPN 50	Slab made of non-combustible mineral wool	50 kg/m ³	A1	5	KB-Hoch-121166
91					A1	6	KB-Hoch-121169
92	Slab	U TPV 50	Slab made of non-combustible mineral wool with one-sided laminations of glass fibre fleece	50 kg/m ³	A1	11	KB-Hoch-121220
93	Slab	U KPV-V 5.0	Slab made of non-combustible mineral wool with one-sided laminations of glass fibre fleece	55 kg/m ³	A1	22	KB-Hoch-141298
94	Slab	U TPV 5.0 (White)	Slab made of non-combustible mineral wool with one-sided laminations of glass fibre fleece	55 kg/m ³	A1	22	KB-Hoch-141298





Product			Reaction to fire EN 13501-1				
No.	Form	Name	Description	Nominal density	Classification	Fire Group	Classification report
95	Wired mat	U Protect Wired Mat 2.0	Wired mat made of non-combustible mineral wool. Following variations are possible: Alu1: galvanised wire mesh / galvanised netting wire / aluminium foil V1: galvanised wire mesh / galvanised netting wire/ polyester fibre fleece	55 kg/m ³	A1	1	KB-Hoch-100037-3
96	Wired mat	U TECH Wired Mat MT 5.0	Wired mat made of non-combustible mineral wool. Following variations are possible: without product designation: galvanised wire mesh / galvanised netting wire Alu1X: galvanised wire mesh /stainless netting wire / aluminium foil X: galvanised wire mesh /stainless netting wire	55 kg/m ³	A1	1	KB-Hoch-100037-3
97	Slab	U TECH Slab MT 5.0	Slab made of non-combustible mineral wool. Following one-side laminations are possible: Alu1: aluminium foil layer V1: glass fibre fleece	55 kg/m ³	A1	1	KB-Hoch-100037-3
98	Slab	U TPV-V 5.0	Slab made of non-combustible mineral wool with both sided lamination of glass fibre fleece	55 kg/m ³	A1	11	KB-Hoch-121220
99	Slab	U Protect Slab 2.0	Slab made of non-combustible mineral wool Following one-sided laminations are possible: Alu1: aluminium foil layer V1: glass fibre fleece	57 kg/m ³	A1	1	KB-Hoch-100037-3





Product				Reaction to fire EN 13501-1			
No.	Form	Name	Description	Nominal density	Classification	Fire Group	Classification report
100	Slab	U Thermo Board 6	Slab made of non-combustible mineral wool	60 kg/m ³	A1	5	KB-Hoch-121166
101					A1	6	KB-Hoch-121169
102	Mat	U Thermo Felt 6	Mat made of non-combustible mineral wool	60 kg/m ³	A1	5	KB-Hoch-121166
103					A1	6	KB-Hoch-121169
104	Wired mat	U Thermo Matt 6	Wired mat made of non-combustible mineral wool with galvanised wire mesh and stainless netting wire	60 kg/m ³	A1	5	KB-Hoch-121166
105					A1	6	KB-Hoch-121169
106	Slab	U TPG 60	Slab made of non-combustible mineral wool with one-sided laminations of glass filament fabric	60 kg/m ³	A2-s1,d0	7	3764/0704-1
107	Roll	U Protect Maki 3.0	Roll made of non-combustible mineral wool with one-sided lamination of glass fibre fleece	64 kg/m ³	A1	2	KB-Hoch-110759
108	Roll	U TFW 65-G	Roll made of non-combustible mineral wool with one-sided lamination of glass fibre fleece	65 kg/m ³	A1	2	KB-Hoch-110759
109	Mat	U Protect Mat 4.0 V2	Mat made of non-combustible mineral wool with one-sided lamination of glass fibre fleece	66 kg/m ³	A1	2	KB-Hoch-110759



Product				Reaction to fire EN 13501-1			
No.	Form	Name	Description	Nominal density	Classification	Fire Group	Classification report
110	Slab	U Tech Slab MT 6.0	Slab made of non-combustible mineral wool Following one-sided laminations are possible: Alu1: aluminium foil layer V1: glass fibre fleece	66 kg/m ³	A1	2	KB-Hoch-110759
111	Slab	U Tech Slab MT 6.0 G1	Slab made of non-combustible mineral wool with one-sided lamination of glass filament fabric	66 kg/m ³	A2-s1,d0	7	3764/0704-1
112			Wired mat made of non-combustible mineral wool. Following variations are possible: Alu1: galvanised wire mesh / galvanised netting wire / black multilayer aluminium foil V1: galvanised wire mesh / galvanised netting wire / polyester fibre fleece	66 kg/m ³	A1	3	KB-Hoch-100333-2
113					A1	4	KB-Hoch-100365-2
114	Wire mat	U TECH Wired Mat MT 6.0	Wired mat made of non-combustible mineral wool. Following variations are possible: Alu1 X: galvanised wire mesh / stainless netting wire / aluminium foil X: galvanised wire mesh / stainless netting wire	66 kg/m ³	A1	4	KB-Hoch-100365-2
115	Slab	U TPA 66	Slab made of non-combustible mineral wool with one-sided lamination of aluminium foil layer	66 kg/m ³	A1	2	KB-Hoch-110759



Product				Reaction to fire EN 13501-1			
No.	Form	Name	Description	Nominal density	Classification	Fire Group	Classification report
116	Slab	U TPN 66	Slab made of non-combustible mineral wool	66 kg/m ³	A1	2	KB-Hoch-110759
117	Slab	U Protect Slab 4.0	Slab made of non-combustible mineral wool Following one-sided laminations are possible: V1: glass fibre fleece	66 kg/m ³	A1	2	KB-Hoch-110759
118	Slab	U Protect Slab 4.0 Alu1	Slab made of non-combustible mineral wool with one-sided lamination of black multilayer aluminium foil	66 kg/m ³	A1	12	KB-Hoch-140127-2
119	Slab	U TPV 70	Slab made of non-combustible mineral wool	70 kg/m ³	A1	17	3764/0704-1
120			Wired mat made of non-combustible mineral wool with galvanised wire mesh and stainless netting	80 kg/m ³	A1	2	KB-Hoch-110759
121		U Tech Wired Mat MT 7.0 X	Wired mat made of non-combustible mineral wool with galvanised wire mesh and stainless netting	80 kg/m ³	A1	6	KB-Hoch-121169
122	Pipe Section	U TECH Pipe Section MAT MT 7.0 G1	V-Grooved slab made of non-combustible mineral wool with lamination of glass filament fabric on the not grooved side	80 kg/m ³	A1	20	K-3324/556/14-MPA BS
123	Slab	U Thermo Board 8	Slab made of non-combustible mineral wool	80 kg/m ³	A1	2	KB-Hoch-110759
124	Slab	U Thermo Board 8	Slab made of non-combustible mineral wool	80 kg/m ³	A1	6	KB-Hoch-121169



Product			Reaction to fire EN 13501-1				
No.	Form	Name	Description	Nominal density	Classification	Fire Group	Classification report
125	Wired mat	U Thermo Matt 8	Wired mat made of non-combustible mineral wool with galvanised wire mesh and stainless netting wire	80 kg/m ³	A1	4	KB-Hoch-100365-2
126					A1	14	2013-1502-K1-1
127	Slab	U TPA 80	Slab made of non-combustible mineral wool with one-sided laminations of aluminium foil layer	80 kg/m ³	A1	15	230010119-4
128	Slab	U TPN 80	Slab made of non-combustible mineral wool	80 kg/m ³	A1	2	KB-Hoch-110759
129					A1	6	KB-Hoch-121169
130	Slab	U KPN 2531	Slab made of non-combustible mineral wool	83 kg/m ³	A1	2	KB-Hoch-110759
131					A1	6	KB-Hoch-121169
132	Slab	U Protect Slab 90	Slab made of non-combustible mineral wool	90 kg/m ³	A1	6	KB-Hoch-121169
133	Slab	U MPN 90, U SeaProtect Slab 90	Slab made of non-combustible mineral wool	95 kg/m ³	A1	6	KB-Hoch-121169
134	Slab	U KPN 100	Slab made of non-combustible mineral wool	100 kg/m ³	A1	6	KB-Hoch-121169
135	Slab	U TECH Slab HT 8.0	Slab made of non-combustible mineral wool	100 kg/m ³	A1	6	KB-Hoch-121169





No.	Form	Name	Description	Reaction to fire EN 13501-1			
				Nominal density	Classification	Fire Group	Classification report
136	Slab	U TPN 100	Slab made of non-combustible mineral wool	100 kg/m ³	A1	6	KB-Hoch-121169
137	Wired mat	U TECH Wired Mat HT 8.0 X	Wired mat made of non-combustible mineral wool with stainless wire mesh and stainless netting wire	120 kg/m ³	A1	14	2013-1502-K1-1

Detail information about the insulation products are given in the classification reports
 Gräfelfing 07.11.2020

Certification Body



Ralph Alberti

Dipl.-Ing. Ralph Alberti